NEW YORK STATE | Office for People With Developmental Disabilities

KATHY HOCHUL
Governor
WILLOW BAER
Commissioner

May 15, 2026

IFB CD 052726 – 2026 Elevator Jack Replacement for O.D. Heck Campus - Building 10 in Schenectady County

A signed Addendum must be received with your proposal or within 3 business days of request by OPWDD. Failure to submit this signed Addendum as specified above may result in the bid being disqualified.

Addendum 1

Addendum 1 has the changes detailed below:

1. On page 19, Detailed Specifications, insert:

   11. Pit Access Ladder and Illumination:
   a. A fixed vertical ladder constructed of noncombustible material must be provided for pit access. The ladder must be located within reach of the access door. The code-compliant pit access ladder must be in accordance with ASME A17.1, Section 2.2.4.2.
   b. A permanent lighting fixture with an accessible switch must be provided for pit illumination. Pit illumination should be in accordance with ASME A17.1, Section 2.2.5.

2. On page 19, Detailed Specifications, edit the following section numbers:

   11. New In-ground Jack: becomes **12. New In-ground Jack:**
   12. Connection: becomes **13. Connection:**
   13. System Testing: becomes **14. System Testing:**
   14. Final inspection and approval: becomes **15. Final inspection and approval:**
   15. Final cleanup: becomes **16. Final cleanup:**

Please complete the confirmation below that you have received the Addendum.

IFB CD 052726 Addendum 1

Confirmation of Addendum Received

_____
(Firm Name)

_____ _____
(Signature) (Date)

_____ _____
(Print Name) (Title)

Respectfully,

Michael J. Keller
CMS 1, Contract Management Unit
OFFICE: (845) 877-6821 ext. 3025 | FAX: (845) 877-3004
Michael.j.keller@opwdd.ny.gov